
ICD-11

Robert Jakob, WHO HQ, Geneva




Multiple Uses

Useful information

World Health Organization

The WHO Family of International Classifications

Cover of all areas of health information



Related Classifications, Terminologies, Standards

- ICNP Nursing
- ICPC Family med. Aspects
- ATC Medicament dosage use
 Orphanet Rare diseases
- LOINC/NPU Laboratory



ICD-11 – Global Information Standard

- Legally mandated global and national health data standard in effect from January 2022 (mortality and morbidity), adopted by all countries in 2019
- Independent of language and culture
- Clinically relevant and scientifically updated
- Integration of terminology and classification



ICD-11

Clinical system for statistical use

- All desired clinical detail codable
- More detail beyond statistical categories (foundation in yellow)
- =>improved motivation to report correctly

MODERN TECHNOLOGY

Codes and URI Combinations:

17 000 stat. categories (codes)

80 000 entities

120 000 terms

>1 600 000

terms with formalized postcoordination

Searchable in "Google style" without training



WHOFIC Foundation

ICD+ICF+ICHI


Clinical system for statistical use

All desired clinical detail codable

More detail beyond statistical categories (foundation in yellow)

=>improved motivation to report correctly

MODERN TECHNOLOGY



Codes and URI Combinations:

27 000 stat. categories (codes)

110 000 entities


170 000 terms

>2000000

terms with formalized postcoordination

Searchable in "Google style" without training

More than diagnoses





More than diagnoses Diagnosis code descriptors (examples)

Discharge diagnosis types

XYOY Main condition

XY7B Main resource condition

XY6E Initial reason for encounter or admission

Diagnosis timing

XY6M Present on admission

XY69 Developed after admission

XY85 Uncertain timing of onset relative to admission


Diagnosis timing in relation to surgical procedure

Diagnosis method of confirmation


Diagnosis certainty

Obstetrical diagnosis timing

Encounter descriptors








IT Backbone of ICD-11, ICF, and ICHI





WHO Verbal autopsy instrument



Review Groups and links

ICD-11

By

people

For

people

Check use and impact (recording, mortality, morbidity...) about 300 directly involved 70 countries

Proposal Platform

State actors Science Other NGO Individuals 20.000 users 99 countries Proposals for updates about 17200 proposals already processed

Ontology editor (iCAT)

Multiple relationships Descriptors Suggested code combinations Unique identifiers (id.who.int) 134.000 terms 85.000 entities NLP support than 1.6 million Manual mode: many millions




• Russian available this year, Portuguese in progress (вка мон), 20 more under way

Type a diagnostic statement into the Coding Tool

World Health

Easy coding


e.g. cancer of stomach



The Coding Tool will find the best match

Easy to use


Type a diagnostic statement into the Coding Tool e.g. *Osteoarthritis of right knee*



The Coding Tool will find the best match including the code combination (postcoordination) information for left or right (laterality)



ICD-11 Implementation Status



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.





ICD-11 uses in 2022



Publications

Pub Med.gov	ICD-11 OR ICD11	× Search
	Advanced Create alert Create RSS	User Ould
	Save Email Send to	Sorted by: Best match Display options O
er nam filler PU	ibmed: 31	< Page 1 of 3,523 > >>
ESULTS BY YEAR	GP-11.	
🗉 G-	Scholar: 1	000k
	ICD-11 vs. ICD-10 - a review of updates	and novelties introduced in the latest
949 20	2 version of the WHO International Classic	ification of Diseases.
EXT AVALABILITY	Cite Knawczyk P, Święticki Ł. Psychiatr Pol. 2020 Feb 29:54/11.7-20. doi: 10.1274	
Abstract		NUMPETING ADD 2020 FED 28.

Reimbursement

E Conternal	PMJAY - Transaction N			
rateria -	C Phase dot an fats to Michina Data This a 2; Phase or brough Senaral Findings and Part a	equined for defailed analysis of the case. ne Family Viceory Sees and fill the mandetory Seets		
Charge Repithates Date	G Departs			
	Primary Degreens	K2 Code: Descriptor*	(M)	
		Note Please search with about three characters	-	
an br geyChulage	E Instead Précid			
nati Gues Ladates	Socially '	Procedure 1 Empedded Surgical Package - Orspecified Surgic	at Package/38 - 584 100 - 100	KDH Code: Description * 1 training
	Pression"	Terrer 1	Institute Dantes *	Inarih
			-1890-	SOLECT ALL
	Interdiption 1		trendspatton Findings	C tonehone)
more and a second second				4 Antibusters
Constants Crynets -	O likewite decises that asked on at the packs			

Vaccination certificate

			CE
A medical de	cument managed by public he	alth authorities of member states	
	cination certificate based on th n or prophylaxis	e existing home-based records guidance as	nd the international
Can be purel paper record		hone application) or be a complementary	digital "twis" of t
The SVC only	documents vaccination events,	but is architected to evolve with the scient	ce, and needs of cou
	Battatta Providence	Carlos and a second and a secon	trat facilitation
	Repetter and a state	Martin Contraction	Anto (and an IVI) Index France (20, box (201) COND-111 INTERCENT (2011)
		100 C 100 C	日時間

Traditional Medicine

Entity title	National code & level	Frequency (diagnosed cases by year)	Description	Original language	Transliteration (Diacritical)
Worm infestation (Ayurveda)	N	109.016	A TM disorder characterized by justih [fever], vivanată (disostoraton), šišla) (soticke palif în the abdonée!] hydrog (disasee) di fever), sadara (exhaustion), bhramah (godiness or diszinest), bhrabalis (aversion to feod), aticira) (diarrhorea).		kmih/safidtakmi
Worm infestation (Siddha)	тк	2.901	A TM disorder characterized by diarrhea like milk, emaciation, pain in chest and nibs area, stomach pain, loss of appetite. It is explained by increased Ashal, Among the seven udhal thathakial Saara, oon, send, peth affected.	புழு தோய்கள்	Pupu nöykal
Worm infestation (Unani)	F-95	90.602	A TM disorder characterized by decreased or increased appetite, tenesmo, instalion of intestine, excessive salination, princing of tenth during sleep, nuases after meakin, extitements, heaviness of baad, instaliant behavior, elefitium, headdarb, simitau, nufficienties, bead elefitium, headdarb, simitau, nufficienties, tespianed by purrefactione of philipmatic fundities of the intestine	مهتان الأساد	Diddin al-Arn'9'

Esser	ntial medi	cines	UH	IC Menu
(Band hadd by particular	Search by name Indication	Q		
FILTERS CANNOD EML section	C Model List of Essential Medicines	<u>.</u>	Classifications	References
Any v Indication	Found 1097 recommendations for 557 medicines and 44 therapeutic equivalents Removed medicines and rejected applications are not shown. <u>Show there</u>		ICD-11 (International classification of diseases)	WHO GRC-approved guideline World Health Organization (2014) Comprehensive cervical game
12 12:04 - Thuse 2 diabetes	Abacavir	· ·	2C77.2 Malignant neoplasm of cervix steri. unspecified MS30.19 Chronic cancer pain	https://apps.who.int/iris/handle/10666/272433
melitus[7ype 2 clabetes melitus[7ype 2 clabetes melitus	Abacavir + lamivudine	· ·	0897 Chemotherapy session for neoplasm. XM7R55 Cancer chemotherapy drug regimen	
Turnet occulation	Abiraterone	*	ICH.	
Apr Any +	Acetazolamide	· •	(International classification of health Interventions)	Other WHO reference documents
Sex Any +	Acetic acid	· •	NMFGA.BA Destruction of lesion or tissue of cervix by radiation therapy	N/A
Taps	Acethorsteine		ICF (International classification of Functioning) b200 Pain b1009 Exercy and drive functions,	

Arabic Chinese ICDD-11 International Classification of Diseases 11th Revision The global standard for diagnostic health information Spanish

Instructions for offline use

Implementation aspects to consider

Use ICD-11

ICD-11 Browser for seeing the content ICD-11 Coding Tool for coding with ICD-11 ICD-API

web services to get programmatic access to ICD-11 ICD-11 Implementation or Transition Guide

Learn More

ICD Home Page ICD-11 Reference Guide ICD-11 Fact Sheet ICD-11 License ICD-11 Training ICD Video

Older versions ICD-10 Browser

Be Involved

Our maintenance platform

provides various ways to

contribute

Comments Proposals Translations



Browse - daily updates

Foundation ICD-11 MMS ICD-11 Coding Tool ICF ICHI ICHI Coding Tool Other Linearizations

Proposals Add Proposals | See in hierarchy or list

- ICD-11 ICF
- ICHI
- ICD-11 Reference Guide


Translation Platform - Assists the translation process. Access to registered translators only, license only with MoH

Download Area contains files that are updated frequently based on the changes made in the classification such as: print versions simplified tabular versions proposal summary outputs

Guides

User Guide for the Maintenance Platform Reference Guide (unreleased content) ICD-11 Reference Guide ICHI Reference Guide Training Videos World Health Organization


icd.who.int





ICD-11 Reusable health information

Minimise documentation load imposed on health providers improve level of documentation - save costs





https://icd.who.int

icd@who.int