ICD-11 implementation in Kuwait

Islam Ibrahim, MBBCh, MPH, PhD
National Center for Health Information (WHO-FIC CC)
Ministry of Health, Kuwait

Kuwait profile



Kuwait profile



MOH main funder, provider & only regulator of healthcare



morbidity health

statistics




Hospitals

21 public hospitals, average 200,000 inpatients/year




National automation project


Moving from paper-based system for national statistical reporting to an electronic one





National automation project


Moving from paper-based system for national statistical reporting to an electronic one












What did we do?






Biggest public hospital




Diagnosis ICD-11

*848 beds, 27,700 inpatients/year


On the HIS user interface



On the HIS user interface



On the HIS user interface



In the database

Automatically captured

Free text diagnosis by Dr.




ICD-11 ICD-11 code URI

Principal diagnosis free text	Principal diagnosis ICD-11 entity title	Principal diagnosis ICD-11 code	Principal diagnosis ICD-11 URI
STEMI	Acute ST elevation myocardial infarction	BA41.0	http://id.who.int/icd/entity/39138
Strep pn, Pneumonia	Prieumonía due to Streptococcus prieum	CA40.07	http://id.who.int/icd/entity/14806
ieshi CVA	Cerebral ischaemic stroke	8811	http://id.who.int/icd/entity/63627


How did we do it?


How did we do it?





Stakeholder engagement











Tailored **stakeholder-specific** messages for persuasion


User-friendly Google-like search



Tailored stakeholder-specific messages for persuasion

User-friendly
Google-like search

Made with contribution of expert clinicians






Tailored stakeholder-specific messages for persuasion

User-friendly
Google-like search

Made with contribution of expert clinicians

Scientifically up-to-date

Update



Tailored stakeholder-specific messages for persuasion

User-friendly
Google-like search

Made with contribution of expert clinicians

Scientifically up-to-date

Clinically meaningful - rich in details, synonyms & abbreviations

Speaks your language (NLP)



Tailored **stakeholder-specific** messages for persuasion

Fully **electronic**

Installed on any HIS

Achieves semantic interoperability

Both online or offline

Free













Start with a pilot and capture the **voice of the users** (physicians) as they experiment with ICD-11



Team approach

Multidisciplinary team involving representatives of all stakeholders Users (physicians) accept change when involved in making decisions



To test the **real-life** implementation
of using the **ICD-11** coding tool integrated into HIS
for documenting **inpatient** discharge diagnoses
by **physicians**at a public general hospital

Preparation

Implementation

Learning for the future

Preparation


Implementation

Learning for the future

Preparation

Implementation


Learning for the future



Preparation

Implementation

Learning for the future



Preparation

Implementation

Learning for the future

IT department



Inpatient ward



Just a new way

National Cepter toged team Director's office

Discuss and resolve problems










Preparation

Implementation

What did we learn?




This pilot reflects the practical aspects of using ICD-11 in a dynamic environment, showing how it can become part of the routine documentation of discharge diagnoses on the HIS

Preparation

Implementation

What did we learn?

Physicians like ICD-11!





Preparation

Implementation

What did we learn?

Physicians like ICD-11!







Preparation

Implementation

What did we learn?

The WHO is listening!



Preparation

Implementation

What did we learn?

The WHO is listening!



Synonyms
Abbreviations
New diagnoses

Preparation

Implementation

What did we learn?

All ICD-11 diagnosis details can be saved into the database automatically

ICD-11 codes including postcoordinated clusters, URIs, and entity titles as well specifically selected index terms by physicians are saved in full into the database



	ICD-11 code	ICD-11 title	ICD-11 URI	
Case 1 (Dr. A)	IK/Y	Other specified pyogenic bacterial infection of skin and subcutaneous tissue - Infection of finger	http://id.who.int/icd/entity/751603744	
Case 2 (Dr. B)	1B7Y	Other specified pyogenic bacterial infection of skin and subcutaneous tissue - Infection of toe	http://id.who.int/icd/entity/2105325745	

ICD-11 code		ICD-11 title	ICD-11 URI	
Case 1 (Dr. A)	IK/Y	Other specified pyogenic bacterial infection of skin and subcutaneous tissue - Infection of finger	http://id.who.int/icd/entity/751603744	
Case 2	1B7Y	Other specified pyogenic hacterial infection of skin and	http://id.who.int/icd/entity/2105325745	
(Dr. B)		subcutaneous tissue - Infection of toe		




1B7Y Other specified pyogenic bacterial infection of skin and subcutaneous tissue

	ICD-11 code	ICD-11 title	ICD-11 URI	
Case 1		Other specified pyogenic bacterial infection of skin and	http://id.who.int/icd/entity/751603744	
(Dr. A)		subcutaneous tissue - Infection of finger		
Case 2	IK/Y	Other specified pyogenic bacterial infection of skin and	http://id.who.int/icd/entity/2105325745	
(Dr. B)		subcutaneous tissue - Infection of toe		




Different index term selected by doctor in each case



	ICD-11 code	ICD-11 title	ICD-11 URI	
Case 1	IK/Y	Other specified pyogenic bacterial infection of skin and	http://id.who.int/icd/entity/ <mark>751603744</mark>	
(Dr. A)		subcutaneous tissue - Infection of finger		
Case 2	IK/Y	Other specified pyogenic bacterial infection of skin and	http://id.who.int/icd/entity/ <mark>2105325745</mark>	
(Dr. B)		subcutaneous tissue - Infection of toe		



Unique identifier URI means original diagnosis documented is not lost



	ICD-11 code	ICD-11 title	ICD-11 URI
Case 1 (Dr. A)	IK/V	Other specified pyogenic bacterial infection of skin and subcutaneous tissue - Infection of finger	http://id.who.int/icd/entity/751603744
Case 2 (Dr. B)	TR/Y	Other specified pyogenic bacterial infection of skin and subcutaneous tissue - Infection of toe	http://id.who.int/icd/entity/2105325745

Something for everyone!

Coders & HIM



Doctors



Informatics & IT





Search Advanced

Save

Email

Send to

Display options 🌣



User Guide

> Int J Environ Res Public Health. 2022 Mar 5;19(5):3057. doi: 10.3390/ijerph19053057.

ICD-11 Morbidity Pilot in Kuwait: Methodology and **Lessons Learned for Future Implementation**

Islam Ibrahim ¹, Mohammad Alrashidi ², Mustafa Al-Salamin ¹, Nenad Kostanjsek ³, Robert Jakob ³, Suhair Azam ¹, Naela Al-Mazeedi ², Fatima Al-Asoomi ¹

Affiliations + expand

PMID: 35270745 PMCID: PMC8910646 DOI: 10.3390/ijerph19053057

Free PMC article

FULL TEXT LINKS









SCAN ME



ICD-11 training













Including practical computer lab training








- Real ICD-11 screenshots
- Real HIS user interface
- Audience-tailored

Reality
Familiarity
Proximity


Persuasion Acceptance of change






Virtual (exercise) records


Access as usual like real record











In-person training


Videos

WhatsApp

Virtual simulation

YouTube

SCAN ME







Home

Shorts

Subscriptions

Library

History

Sign in to like videos, comment, and subscribe.



Explore

Trending

Music

Gamina

Sports

Browse channels

More from YouTube

Demystifying ICD-11 URIs

681 views • 10 months ago

ICD-11 workshop (part 1):

8.1K views • 2 years ago

Introduction to ICD-11 coding

Search




Now let's find our first ICD-11 code

National Center for Health Information, Kuwait

@nchi-who-fic-cc-kuwait 384 subscribers 11 videos

Educational videos by the National Center for Health Information, MOH, Ku... >



ICD-11 workshop for clinicians

What will happen to my

proposal?

4.4K views • 2 years ago



categories, the foundation component, & groupings

Dr. Islam Ibrahim MS SCh, MPH, PhD National Center for Health Information, MCH, Kowat 17:09

ICD-11 workshop (Part 2): Introduction to multiple parenting,...

2.8K views • 1 year ago



ICD-11 Pilot in Kuwait: The doctors' perspective (Farwaniya hospital,...

2.4K views • 2 years ago

Demystifying ICD-11 URIs 9:09

ICD-11 proposals

500 views • 2 years ago



ICD-11 icons


10:53

496 views · 3 months ago



Pilot field testing of ICD-11 morbidity coding in Kuwait

Full hospital implementation



Challenges and future considerations

Data considerations

Procedure coding and DRG systems

Doctors as ICD-11 users

ICD-10

ICD-11

All hospitals move to ICD-11

Data considerations

Procedure coding and DRG systems

Doctors as ICD-11 users



Morbi 1 dity	Name of the entity	Included entities	Excluded entities	Excluded Expanded c morbidity	odes
2					
3 Mb1	Cholera	1A00 - Cholera		1A00	
4 Mb2	Intestinal infections due to Shigella	1A02 - Intestinal infections due to Shigella		1A02	
5 Mb3	Intestinal infections due to Escherichia coli	1A03 - Intestinal infections due to Escherichia coli		1A03.0,1A0	3.1,1A0
6 Mb4	Intestinal infections due to Clostridioides difficile	1A04 - Intestinal infections due to Clostridioides diffi	cile	1A04	
7 Mb5	Typhoid and paratyphoid fever	1A07 - Typhoid fever 1A08 - Paratyphoid fever		1A08,1A07.	0,1A07.
8 Mb6	Bacterial foodborne intoxications	1A10-1A1Z - Bacterial foodborne intoxications		1A10,1A11.	0,1A11.
9 Mb7	Viral intestinal infections	1A20-1A2Z - Viral intestinal infections		1A20,1A21,	1A22,1/
10 Mb8	Amoebiasis	1A36 - Amoebiasis		1A36.00,1A	36.01,1
11 Mb9	Other gastrointestinal infectious diseases	1A01 - Intestinal infection due to other Vibrio 1A05	- Intestinal infections of	due to Yersir 1A01,1A05,	1A06,1
12 Mb10	Early syphilis	1A61 - Early syphilis		1A61.0,1A6	1.1,1A6
13 Mb11	Congenital syphilis	1A60 - Congenital syphilis		1A60.0,1A6	0.1,1A6
14 Mb12	Other syphilis	1A62 - Late syphilis 1A63 - Latent syphilis, unspecifi	ed as early or late 1A	6Z - Syphilis, 1A63,1A6Z,	1A62.00
15 Mb13	Gonococcal infection	1A70-1A7Z - Gonococcal infection		1A70.00,1A	70.0Y,1
16 Mb14	Sexually transmissible infections due to chlamydia	1A80-1A8Z - Sexually transmissible infections due to	chlamydia	1A80,1A81.	0,1A81.
17 Mb15	Other predominantly sexually transmitted infections	1A90 - Chancroid 1A91 - Granuloma inguinale 1A9	92 - Trichomoniasis 1	A93 - Sexuall 1A90,1A91,	1A92,1/
18 Mb16	Tuberculosis of the respiratory system	1B10 - Tuberculosis of the respiratory system		1B10.0,1B10	0.1,1B1
19 Mb17	Tuberculosis of other organs and systems	1B11 - Tuberculosis of the nervous system 1B12 - Tu	berculosis of other sys	tems and or, 1B14,1B1Y,	1B11.0,
20 Mb18	Unspecified tuberculosis	1B1Z - Tuberculosis, unspecified		1B1Z	
< >	MorbidityTabulationList +	: 4			•

Data considerations

Procedure coding and DRG systems

Doctors as ICD-11 users

9B10.Z&XK9K

9B71.00&XS25

FA0Z&XA8RL1

ND14.7Z&XK9K

9B10.Z&XK8G

9A01.3&XK9K

FA34.4&XA49P8

9B73.0&XK9K

FA0Z&XA8RL1

9B10.Z&XK8G

9A61.5&XK8G

9B10.Z&XK9K

9B10.Z&XK8G

9B10.Z&XK9J

9C40.BZ&XK9J


AB51.2&XK8G

ND14.7Z&XK8G

FA0Z&XA8RL1

ME82&XA4175

AB51.2&XK8G



Data considerations

Procedure coding and DRG systems


Doctors as ICD-11 users



Data considerations

Procedure coding and DRG systems


Doctors as ICD-11 users



What's next?

The original project!

Expand ICD-11 implementation



The future

The original project!

Expand ICD-11 implementation



Other hospitals PHC



